KENDRIYA VIDYALAYA SANGATHAN, CHENNAI REGION PRE-BOARD EXAM 2022-23

Class :XII

Computer Science - (083)

Time: 3 hrs Max Marks: 70

General Instructions:

1. This question paper contains five sections, Section A to E.

2. All questions are compulsory.

- 3. SectionAhave18questionscarrying01markeach.
- $4. \ \ Section Bhas 07 Very Short Answer type questions carrying 02 mark seach.$
- $5. \ \ Section Chas 05 Short Answer type questions carrying 03 mark seach.$
- $6. \ Section Dhas 03 Long Answer type questions carrying 05 mark seach.$
- 7. SectionEhas02questionscarrying04markseach.Oneinternalchoicei sgivenin Q34against part c only.

8. All programming questions are to be answered using Python Language only.

	omy.	
-	SECTION A	
1.	State True or False:	1
	"A dictionary key must be of a data type that is mutable."	
2.	What will be the data type of d, if $d = (15)$? (a) int (b) tuple (c) list (d) string	1
3.	Which of the following is a valid identifier in Python:	1
	(a) else if (b) for (c) pass (d) 2count	•
4.	Consider the given expression: not 5 or 4 and 10 and 'bye' Which of the following will be correct output if the given expression is evaluated?	1
	(a)True (b) False (c)10 (d)'bye'	
5.	Select the correct output of the code: for i in "QUITE":	1
	print([i.lower()], end= "#")	
	(a) q#u#i#t#e#(b) ['quite#'] (e) ['q']#['u']#['i']#['t']#['e']#(d) ['quite'] #	
6.	Which file mode can be used to open a binary file in both append and read mode?	1
	a) w+ b) wb+ c) ab+ d) a+	
7.	Fill in the blank:	1

	Gungal	
	The SQL built-in function calculates the average of values in	
	(a)MEAN() (b)AVG() (c) AVERAGE() (d) COUNT()	
8.	Which of the following commands will be used to select a particular database named "Student" from MYSQL Database? (a) SELECT Student; (b) DESCRIBE Student; (c) USE Student; (d) CONNECT Student;	1
9.	Which of the following statement(s) would give an error after executing the	1
	following code?	
	d = {"A" : 1, "B": 2, "C": 3, "D":4} #statement 1	
	$sum_keys = 0$ #statement 2	
	for val in d.keys(): #statement 3	
	sum_keys = sum_keys + val #statement 4	
	print(sum_keys)	
	6.	
	(a) Statement 1 (b) Statement 2	
	(c) Statement 3 (d) Statement4	
10.	Fill in the blank:	1
	An attribute in a relation is a foreign key if it is the key in any other	er
	relation.	
	(a) Candidate Key (b) Foreign Key	
	(c) Primary Key (d) Unique Key	
1.	1 1 10 110	1
277 1155	(a) tells the current position within the file.	
1		
	(b) tells the name of file.	
	(c) moves the current file position to a different location.	
	(d) it changes the file position only if allowed to do so else returns an error.	
2.	Fill in the blank:	1
۷٠	When two conditions must both be true for the rows to be selected, the	
	conditions are separated by the SQL keyword	
	(a)ALL (b)IN (g)AND (d)OR	
- 1	(a)ALL (b)IN (g)AND (d)OR	
3.	Fill in the blank:	1
١.	protocol provides access to command line interface on a remo-	re
	computer.	* 1
\dashv	(a) FIP (b) PPP (c) Telnet (d) SM1P What will the following expression be evaluated to in Python?	1
4.	What will the longwing expression of contact to the property of the contact to t	
- 1	print(25 // 4 + 3**1**2 * 2)	
- 1		
	(a)24 (b) 18 (c) 6 (d) 12 Which statement in SQL allows to change the definition of a table is	

	CDEATE(A) CDE	
	(a) ALTER (b) UPDATE(c) CREATE(d) SELECT	
16.	The statement which is used to get the number of rows fetched by execute()	ı
	method of cursor	1
	(b) cursor rowscount()	\
	(c) cursor.allrows() (d) cursor.countrows()	
	Q17and18areASSERTIONANDREASONINGbasedquestions.Markthecorrect choice as (a) Both Aand R are true and R is the correct explanation for A	
	(a) Both A and R are true and R is not the correct explanation for A	1
	(b) Both A and R are true and R is not the confect explanation for 1	
	(c) A isTrue but R is False	
	(d) A is false but R is True	1
17.		1
	Reasoning(R):- Return statement passes back an expression to the caller. A	1 1
	return statement with no arguments is the same as return None.	1
		1
10	Assertion(A):CSV module allows to write a single record into each row in	1
10.	CCV file using write row() function.	1 1
	Reason(R): The write row() function creates header row in csv file by default.	
	SECTION B	
_	Rewrite the following code in python after removing all the syntax errors	. 2
19.	Rewrite the following code in python after removing and	
	Underline each correction done in the code.	
	num1,num2 = 10	1
	While num1 % num2 = 0	
	num1 += 20	
	num2+=30	
	Else:	- 1
	print('hello')	
		2
0.	Write two advantages and two disadvantages of circuit switching.	12
		1
- 1	OR.	- 1
		- 1
- 1	Differentiate between Web server and web browser. Write any two popular	- 1
		1
	web browsers.	
	C. L.C between AI TED and INDIATE command	in 2
1.	Write two points of difference between ALTER and UPDATE command	
	SQL.	١
		2
2.	(a) Given is a Python List declaration:	
	lst1=[39,45,23,15,25, 60].	

12 occ

What will be the output of: print(Ist1.index(23))? (b) Write the output of the code given below: x=['rahul",5, "B",20,30] x.insert(3, "akon") print(x[2]) 23. (a) Write the full forms of the following: (i) FTP (ii) HTTPS (b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0]== "p": st = st[2:] elist[-2]=='n": st = st[4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i] + "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database? OR	-			
print(lst1.index(23))? (b) Write the output of the code given below: x=["rahul",5, "B",20,30] x.insert(1,3) x.insert(1,3)	-	What will be the output of:		
(b) Write the output of the code given below: x=("rahul",5, "B",20,30] x.insert(1,3) x.insert(3, "akon") print(x[2]) 23. (a) Write the full forms of the following: (i) FTP (ii) HTTPS (b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st[2:] elifst[-2]=="n": st = st[4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1] + "#" gama += myvalue[i-1] + "#"		print(lst1.index(23)) ?		
x=("rahul",5, "B",20,30] x.insert(1,3") x.insert(2) 23. (a) Write the full forms of the following: (i) FTP (ii) HTTPS (b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st(0)= "p": st = st[2:] elifst[-2]=="n": st = st[4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			1 1	
x.insert(1,3) x.insert(3, "akon") print(x[2]) 23. (a) Write the full forms of the following: (i) FTP (ii) HTTPS (b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		(b) Write the output of the code given below:	1 1	
x.insert(3, "akon") print(x[2]) 23. (a) Write the full forms of the following: (i) FTP (ii) HTTPS (b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0] == "p": st = st[2:] elifst[-2] == "n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1] + "#" gama += myvalue[i-1] + "#"			1 1	
print(x[2]) 23. (a) Write the full forms of the following: (i) FTP (ii) HTTPS (b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1] + "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of 2 a relation in relational database?		x.insert(1, 3)	1 1	
(a) Write the full forms of the following: (i) FTP (ii) HTTPS (b)Name the protocols which are used for sending and receiving emails? 24 Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0]== "p": st = st[:2] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1] + "#" gama += myvalue[i-1] + "#"			1 1	
23. (a) Write the full HTTPS (b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0]= "p": st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of 2 a relation in relational database?		print(x[2])		
(i) FTP (ii) HTTPS (b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0] == "p": st = st[2:] elifst[-2] == "n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1] + "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of 2 a relation in relational database?	22	(a) Write the full forms of the following:	2	
(b)Name the protocols which are used for sending and receiving emails? 24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of 2 a relation in relational database?	23	(i) FTP (ii) HTTPS		
24. Predict the output of the Python code given below: st = "python programming" count = 4 while True: if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st st : 4! else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of 2 a relation in relational database?		this is the second of the seco	1	\
st = "python programming" count = 4 while True: if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		(b) Name the protocols which are used for sending and receiving emails?	2	1
count = 4 while True: if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?	24			1
count = 4 while True: if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		st = "python programming"		
if st[0]== "p": st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		count = 4		
st = st[2:] elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?				
elifst[-2]=="n": st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1] + "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		if st[0]== "p":		
st = st[:4] else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			1	1
else: count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			- 1	
count+=1 break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			- 1	
break print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			- 1	
print(st) print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) S. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			1	1
print(count) OR Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			1	
Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1] + "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?				
Predict the output of the Python code given below: myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		print(count) OR	1	
myvalue = ["A", 40, "B", 60, "C", 20] alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			1	- 1
alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		Predict the output of the Tymon sous gar	- 1	- 1
alpha = 0 beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			1	
beta = "" gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		myvalue = [A, 40, B, 50, 5, 5]		- 1
gama = 0 for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		aipha — 0		- 1
for i in range(1,6,2): alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?				1
alpha += i beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		$gama = 0$ $S_{-1} : = range(1.6.2)$	- 1	1
beta += myvalue[i-1]+ "#" gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?			1	1
gama += myvalue[i] print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		aipna — i	1	1
print(alpha, beta, gama) 25. What do you understand by the terms PRIMARY KEY and UNIQUE KEY of a relation in relational database?		beta += myvatuc[i-1]' "	1	
25. What do you understand by the terms PRIMARY KEY and ONIQUE REST of a relation in relational database?				
a relation in relational database?		print(alpha, beta, gama)	EY of	2
a relation in relational database?	25.	What do you understand by the terms Pkilving 1		1
OR		a relation in relational database?		
		OK		

	ALTER		SECTIONC	,		14.5
(a)Conside	er the follow	ing tables-	- Applicants and	Centre		1+2
Table: Ap	plicants					
	Name	Subject				
C01	Mohan 1	English				
C02	Raju	Hindi				
				ŷ.		
Table: Ce	entre	г				
Appno	City			1		1
C02	Madurai	<i>े</i>				
C03	Chennai	1				
<i>i</i> 1		4				- 1
SELECT	* FROM A	pplicants	following statem NATURAL JOII cries (i) to (iv) bas	N Cenue,	e, Car given	
What wil SELECT (b) Write below:	l be the output the output	of the que	ries (i) to (iv) bas	sed on the table	CHARGES	
What wil SELECT (b) Write below:	the output	of the que	eries (i) to (iv) base	sed on the table	CHARGES 1500	
What wil SELECT (b) Write below: CCODE	l be the output the output	of the que	eries (i) to (iv) base	capacity 7	CHARGES 1500 1000	
What wil SELECT (b) Write below: CCODE 105 245	the output CNAM Fortune	of the que MAK Toyot	E COLOUR White Black	CAPACITY 7 5	CHARGES 1500 1000 2000	
What will SELECT (b) Write below: CCODE 105 245 130	* FROM A the output CONAMI Fortune Nexon	of the que E MAK Toyot Tata Renai	ries (i) to (iv) base E COLOUR a White Black ult Green ult Greey	CAPACITY 7 5 6	CHARGES 1500 1000 2000 2500	
What wil SELECT (b) Write below: CCODE 105 245	* FROM A the output CNAM Fortune Nexon Duster	of the que E MAK Toyot Tata Renai Renai Suzul	ries (i) to (iv) base E COLOUR a White Black ult Green ult Grey ki Red	CAPACITY 7 5 6 5 5	CHARGES 1500 1000 2000 2500 4000	
What will SELECT (b) Write below: CCODE 105 245 130 225	* FROM A the output CNAM Fortune Nexon Duster Kwid	of the que E MAK T Toyot Tata Renai	ries (i) to (iv) base E COLOUR a White Black ult Green ult Greey	CAPACITY 7 5 6	CHARGES 1500 1000 2000 2500	
What will SELECT (b) Write below: CCODE 105 245 130 225 120 207 (i) SELE (ii) SELI (iii) SELI (iii) SELI	* FROM A the output CNAM Fortune Nexon Duster Kwid Baleno Nano CT DISTINE ECT MAKE	of the que E MAK T Toyot Tata Renai Renai Suzul Tata NCT MAI E, COUN ME FROM	ries (i) to (iv) base E COLOUR a White Black ult Green ult Grey ki Red Blue KE FROM CAR I (*) FROM CAR I CAR WHERE	CAPACITY 7 5 6 5 5 4 R GROUP BY	CHARGES 1500 1000 2000 2500 4000 3500	
What will SELECT (b) Write below: CCODE 105 245 130 225 120 207 (i) SELE (ii) SELI (iii) SELI (iii) SELI (iii) SELI (iv) SELI (iv) SEL	* FROM A the output CNAM Fortune Nexon Duster Kwid Baleno Nano CT DISTINECT MAKE ECT CNAM E; ECT CNAM E; ECT CNAM E;	of the que E MAK T Toyot Tata Renar Renar Suzul Tata NCT MAI E, COUN ME FROM	E COLOUR a White Black ult Green ult Grey ki Red Blue	CAPACITY 7 5 6 5 5 4 R GROUP BY CAPACITY> WHERE	CHARGES 1500 1000 2000 2500 4000 3500 MAKE; 5 ORDER	

Visitors from various cities are coming here.

Particularly, they want to visit the museum.

Looking to learn more history about countries with their cultures.

The output should be:

Particularly, they want to visit the museum.

Write a method in Python to read lines from a text file 'book.txt', to find and display the occurrence of the word 'are'. For example, if the content of the file is:

Books are referred to as a man's best friend. They are very beneficial for mankind and have helped it evolve. Books leave a deep impact on us and are responsible for uplifting our mood.

The output should be 3.

(a)Consider the following tables EMPLOYEE and SALARY. 28.

Table: EMPLOYEE

Table: E	MPLOY.	EE	0.000		
ECODE		DESIG	SGRADE	DOJ	DOB
101	Akash	Executive	S03	2003-03-23	1980-01-13
		Manager	S02	2010-02-12	1987-07-22
102	Rajiv		S03	2009-06-24	1983-02-24
103	Jonny	RO	1	10 To	1984-03-03
104	Naziya	GM	S02	2006-08-11	
105	Pritam	CEO	S01	2004-12-29	1982-01-19
105	- A. O				

Table: SAL

Table. Bill		Transport of the second of the
SGRADE	SALARY	HRA
S01	56000	18000
S02	32000	12000
S03	24000	8000
505		

Give the output of the following SQL queries:

- (i) SELECT COUNT(SGRADE), SGRADE FROM EMPLOYEE GROUP BY SGRADE;
- (ii) SELECT MIN(DOB), MAX(DOJ) FROM EMPLOYEE;
- (iii) SELECT NAME, SALARY FROM EMPLOYEE E, SAL S WHERE E.SGRADE=S.SGRADE AND E.ECODE<103;
- (iv) SELECT SGRADE, SALARY+HRA FROM SAL WHERE SGRADE= 'S02';
- (b) Write the command to view structure of table FOOD in a database.

Write a function LeftShift(Numlist, n) in Python, which accepts a list Numlist 29. of numbers and n is a numeric value by which all elements of the list are shifted to left.

Sample input data of the list

Numlist = [10, 20, 30, 40, 50, 60, 70], n=2

Output

Numlist = [30, 40, 50, 60, 70, 10, 20]

Write a function in Python PUSH(Num), where Num is a list of numbers. From this list push all numbers divisible by 5 into a stack implemented by 30. using a list. Display the stack if it has atleast one element, otherwise display appropriate error message.

For example:

If the list Num is:

[66, 75, 40, 32, 10, 54]

The stack should contain:


[75, 40, 10]

OR

Write functions in Python, MakePush(Package) and MakePop(Package) to add a new Package and delete a Package from a List of Package Description, considering them to act as push and pop operations of the Stack data structure.

SECTION D

An International Bank has to set up its new data center in Delhi, India. It has 31. five blocks of buildings - A, B, C, D and E.



Distance between the blocks and number of computers in each block are as

given below:

Distance Between	Blocks
Block B to Block C	30m
Block C to Block D	30m
Block D to Block E	35m
Block D to Block E	

No of Co	mputers
Block A	55
Block B	100
Block C	60

Block E to Block C	40m
Block D to Block A	120m
Block D to Block B	45m
Block E to Block B	65m
Diock -	

Block D	55
Block E	70

- (i) Suggest the most suitable block to host the server. Justify your answer.
- (ii) Draw the cable layout (Block to Block) to economically connect various blocks within the Delhi campus of International Bank.
- (iii) Suggest the placement of the following devices with justification:

(a) Repeater

(b) Hub/Switch

- (iv) The bank is planning to connect its head office in London. Which type of network out of LAN, MAN, or WAN will be formed? Justify your answer.
- (v) Suggest a device/software to be installed in the Delhi Campus to take care of data security.
- (a) Consider the code below and answer the questions that follow: 32.

```
def multiply(number1, number2):
   answer = number1 * number2
  return(answer)
  print(number1, 'times', number2, '=', answer)
output = multiply(5, 5)
```

- (i) When the code above is executed, what gets printed?
- (ii) What is variable output equal to after the code is executed?
- (b) The code given below inserts the following record in the table Student:

Rollno - integer

Name - string

Age - integer

Note the following to establish connectivity between Python and MYSOL:

- Username is root
- Password issys
- The table exists in a MYSQL data base named school.
- The details (Roll no, Name and Age) are to be accepted from the user.

Writethefollowingmissingstatementstocompletethecode:Statement1-to form the cursor object

Statement 2-to execute the command that inserts the record in the table Student.Statement3-toaddtherecordpermanentlyinthedatabase

import mysql.connector mydb= mysql.connector.connect(host="localhost",user="root",passwd="sys",

```
database = "myschool")
                                             #statement 1
 mycursor =
 while True:
 ch=int(input("enter -1 to exit, any other number to insert record"))
   if ch==-1:
     break
 rollno = int(input("enter Roll no:"))
   name = input("enter Name:")
   age = int(input("enter Age:"))
 qry = "insert into student values({},'{}',{})".format(rollno,name,age)
                                          #statement 2
                                           #statement 3
   print("Data added successfully")
                                     OR
 (a) Write the output of the following python code.
 def convert(line):
  n = len(line)
new line = "
  for i in range(0,n):
    if not line[i].isalpha():
new_line = new_line + '@'
    else:
      if line[i].isupper():
new_line = new_line + line[i]*2
      else:
new_line = new_line + line[i]
  return new line
new line = convert("Be 180 HuMan")
print(new line)
(b) Thecodegivenbelowadds a new column inthetable Student, updates the data
into it and displays the content of the table.
Student table details are as follows:
          Rollno - integer
          Name - string
          Age - integer
Note the following to establish connectivity between Python and MYSQL:\\
     Usernameisroot and Passwordis sys
      The table exists in a MYSQL database named school.\\
Writethefollowingmissingstatementstocompletethecode:Statement1-to
formthecursor object
Statement2-toexecutea query that adds a column named "MARKS" of type
```

integer inthetableStudent.

import mysql.connector.connect(host="localhost",user="root",passwd="sys", database="myschool") mycursor =		Statement3-toupdatetherecordpermanentlyinthedatabase	
#statement2 mycursor.execute("update student set MARKS=9 where Rollno = 1") mycursor.execute("select * from student") for x in mycursor: print(x) 33. Write the full form of 'CSV'. What is the default delimiter of csv files? The scores and ranks of three students of a school level programming competition is given as: ['Name', 'Marks', 'Rank'] ['Sheela', 450, 1] ['Rohan', 300, 2] ['Akash', 260, 3] Write a program to do the following: (i)Create a csv file (results.csv) and write the above data into it. (ii)To display all the records present in the CSV file named 'results.csv' OR What does csv.writer object do? Rohan is making a software on "Countries & their Capitals" in which various records are to be stored/retrieved in CAPITAL.CSV data file. It consists some records(Country & Capital). Help him to define and call the following user defined functions: (i) AddNewRec(Country,Capital) — To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() — To display all the records present in the CSV file named 'CAPITAL.CSV' SECTION E		mydb=mysql.connector.connect(host="localhost" year="root" passwd="sys",	î
mycursor.execute("select * from student") for x in mycursor: print(x) 33. Write the full form of 'CSV'. What is the default delimiter of csv files? The scores and ranks of three students of a school level programming competition is given as: ['Name', 'Marks', 'Rank'] ['Sheela', 450, 1] ['Rohan', 300, 2] ['Akash', 260, 3] Write a program to do the following: (i)Create a csv file (results.csv) and write the above data into it. (ii)To display all the records present in the CSV file named 'results.csv' OR What does csv.writer object do? Rohan is making a software on "Countries & their Capitals" in which various records are to be stored/retrieved in CAPITAL.CSV data file. It consists some records(Country & Capital). Help him to define and call the following user defined functions: (i) AddNewRec(Country,Capital) – To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() – To display all the records present in the CSV file named 'CAPITAL.CSV'		#statements	
for x in mycursor: print(x) 33. Write the full form of 'CSV'. What is the default delimiter of csv files? The scores and ranks of three students of a school level programming competition is given as: ['Name', 'Marks', 'Rank'] ['Sheela', 450, 1] ['Rohan', 300, 2] ['Akash', 260, 3] Write a program to do the following: (i)Create a csv file (results.csv) and write the above data into it. (ii)To display all the records present in the CSV file named 'results.csv' OR What does csv.writer object do? Rohan is making a software on "Countries & their Capitals" in which various records are to be stored/retrieved in CAPITAL.CSV data file. It consists some records(Country & Capital). Help him to define and call the following user defined functions: (i) AddNewRec(Country,Capital) – To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() – To display all the records present in the CSV file named 'CAPITAL.CSV'		#statement3	
33. Write the full form of 'CSV'. What is the default delimiter of csv files? The scores and ranks of three students of a school level programming competition is given as: ['Name', 'Marks', 'Rank'] ['Sheela', 450, 1] ['Rohan', 300, 2] ['Akash', 260, 3] Write a program to do the following: (i)Create a csv file (results.csv) and write the above data into it. (ii)To display all the records present in the CSV file named 'results.csv' OR What does csv.writer object do? Rohan is making a software on "Countries & their Capitals" in which various records are to be stored/retrieved in CAPITAL.CSV data file. It consists some records(Country & Capital). Help him to define and call the following user defined functions: (i) AddNewRec(Country,Capital) — To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() — To display all the records present in the CSV file named 'CAPITAL.CSV'		for x in mycursor:	
['Name', 'Marks', 'Rank'] ['Sheela', 450, 1] ['Rohan', 300, 2] ['Akash', 260, 3] Write a program to do the following: (i)Create a csv file (results.csv) and write the above data into it. (ii)To display all the records present in the CSV file named 'results.csv' OR What does csv.writer object do? Rohan is making a software on "Countries & their Capitals" in which various records are to be stored/retrieved in CAPITAL.CSV data file. It consists some records(Country & Capital). Help him to define and call the following user defined functions: (i) AddNewRec(Country,Capital) — To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() — To display all the records present in the CSV file named 'CAPITAL.CSV'	33.	Write the full form of 'CSV'. What is the default delimiter of csv files? The scores and ranks of three students of a school level programming	5
Write a program to do the following: (i)Create a csv file (results.csv) and write the above data into it. (ii)To display all the records present in the CSV file named 'results.csv' OR What does csv.writer object do? Rohan is making a software on "Countries & their Capitals" in which various records are to be stored/retrieved in CAPITAL.CSV data file. It consists some records(Country & Capital). Help him to define and call the following user defined functions: (i) AddNewRec(Country,Capital) — To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() — To display all the records present in the CSV file named 'CAPITAL.CSV'		['Name', 'Marks', 'Rank'] ['Sheela', 450, 1] ['Rohan', 300, 2]	
What does csv.writer object do? Rohan is making a software on "Countries & their Capitals" in which various records are to be stored/retrieved in CAPITAL.CSV data file. It consists some records(Country & Capital). Help him to define and call the following user defined functions: (i) AddNewRec(Country, Capital) – To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() – To display all the records present in the CSV file named 'CAPITAL.CSV'		(i)Create a csv file (results.csv) and write the above data into it.	
Rohan is making a software on "Countries & their Capitals" in which various records are to be stored/retrieved in CAPITAL.CSV data file. It consists some records(Country & Capital). Help him to define and call the following user defined functions: (i) AddNewRec(Country,Capital) – To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() – To display all the records present in the CSV file named 'CAPITAL.CSV'		OR	
(i) AddNewRec(Country, Capital) – To accept and add the records to a CSV file "CAPITAL.CSV". Each record consists of a list with field elements as Country and Capital to store country name and capital name respectively. (ii) ShowRec() – To display all the records present in the CSV file named 'CAPITAL.CSV' SECTION E	1	Rohan is making a software on "Countries & their Capitals" in which vari records are to be stored/retrieved in CAPITAL.CSV data file. It consists so records(Country & Capital). Help him to define and call the following	ome
'CAPITAL.CSV' SECTION E	(f	i) AddNewRec(Country, Capital) - To accept and add the records to a capital "CAPITAL CSV". Each record consists of a list with field element	CSV ts as
SECTION E A company stores the records of motorbikes sold in January, February, March	(1	ii) ShowRec() — To display all the records present in the CSV file no CAPITAL.CSV'	amed
A company stores the records of motorbikes sold in January, February, March		SECTION E	
		Tests of the second of the sec	[L]

Bcode	Bname	January	February	March	April	
156	Honda	200	310	140	250	
234	Pegasus	100	430	120	170	1
432	Ebony	250	100	280	340	- 1
876	Raven	300	150	240	430	
970	Hero	250	130	190	100	
key. (ii)If 3 mo MOTOR, (iii)Write (a) I Bcode- 20	re columns a what will be the query to: nsert the fol 7, Bname- T March- 480, Display the	are added a the new de lowing reco VS, Januar April - 350	nd 2 rows aregree and can ord into the sy-500, Feb	re deleted : rdinality? table ruary- 450	onsidered as Primary from the table), sold more than 200 i	
OR (Option (a) A in (b) D heela is a	te the query dd a new couteger. Display total Python proglat" that ha	to: plumn MAY number of grammer.:S	Motorbike She has writ	s sold in N ten a code Book Na	ith datatype as March Month. e and created a bina me, Author, Price].	The
OR (Option (a) A in (b) D heela is a le "book.collowing u	te the query dd a new conteger. Display total Python proglat" that ha	to: plumn MAN number of grammer. S s structure function C	Motorbike She has writ [BookNo, l CreateFile()	s sold in National in the state of the state	March Month. e and created a bina me, Author, Price]. I to take input data f	The
OR (Option (a) A in (b) D heela is a le "book.ord ollowing understand	the query dd a new conteger. Display total Python proglat" that has ser defined add to book	to: lumn MAX number of grammer. S s structure function C dat and ar	Motorbike She has writ [BookNo,] CreateFile() nother user	s sold in N tten a code Book_Nar is created defined fi	March Month. e and created a bina me, Author, Price]. I to take input data function	The for a
OR (Option (a) A in (b) D heela is a le "book.ord ollowing understand	the query dd a new conteger. Display total Python proglat" that has ser defined add to book	to: lumn MAX number of grammer. S s structure function C dat and ar	Motorbike She has writ [BookNo,] CreateFile() nother user	s sold in N tten a code Book_Nar is created defined fi	March Month. e and created a bina me, Author, Price]. I to take input data function	The for a
OR (Option (a) A (b) D heela is a le "book.collowing usecord and a ountRec(A	te the query dd a new conteger. Display total Python proglat" that has eser defined add to book Author) white of books	number of grammer. See structure function Condat and are seeds by the given	Motorbike She has write [BookNo, land CreateFile() nother user the Author	s sold in Nation a code Book_Nation is created defined for name as	March Month. e and created a bina me, Author, Price]. I to take input data i unction parameter and cour	The for a
OR (Option (a) A (b) D heela is a le "book.collowing usecord and a ountRec(A	te the query dd a new conteger. Display total Python proglat" that has eser defined add to book Author) white of books	number of grammer. See structure function Condat and are seeds by the given	Motorbike She has write [BookNo, land CreateFile() nother user the Author	s sold in Nation a code Book_Nation is created defined for name as	March Month. e and created a bina me, Author, Price]. I to take input data i unction parameter and cour	The for a
OR (Option (a) A (b) D heela is a le "book.collowing usecord and a ountRec(A turn numbers a Pythor	te the query dd a new conteger. Display total Python proglat" that has eser defined add to book Author) while of books a expert, help	number of grammer. See structure function Co. dat and are ich accepts by the girlp her to co.	Motorbike She has write [BookNo, land CreateFile() nother user the Author	s sold in Nation a code Book_Nation is created defined for name as	March Month. e and created a bina me, Author, Price]. I to take input data function	The for a
OR (Option (a) A (b) D heela is a le "book.collowing usecord and a ountRec(A turn numbers a Pythor	te the query dd a new conteger. Display total Python proglat" that has eser defined add to book Author) white of books	number of grammer. See structure function Co. dat and are ich accepts by the girlp her to co.	Motorbike She has write [BookNo, land CreateFile() nother user the Author	s sold in Nation a code Book_Nation is created defined for name as	March Month. e and created a bina me, Author, Price]. I to take input data i unction parameter and cour	The for a
OR (Option (a) A (b) D heela is a le "book.o collowing unit and a count Rec(A turn numbers a Pythor quirement	te the query dd a new conteger. Display total Python proglat" that has eser defined add to book Author) while of books a expert, help	number of grammer. See structure function Co. dat and are ich accepts by the girlp her to co.	Motorbike She has write [BookNo, land CreateFile() nother user the Author	s sold in Nate a code Book_Nate is created defined for name as a following	March Month. e and created a bina me, Author, Price]. I to take input data function parameter and coun g code based on the	The for a
OR (Option (a) A (b) D heela is a le "book.of cord and a countRec(A turn numbers a Pythor quirement	te the query dd a new conteger. Display total Python progration that has er defined add to book Author) which expert, held given about	number of grammer. See structure function Co. dat and are ich accepts by the girlp her to co.	Motorbike She has write [BookNo, land CreateFile() nother user the Author	s sold in Nate a code Book_Nate is created defined for name as a following	March Month. e and created a bina me, Author, Price]. I to take input data i unction parameter and cour	The for a
OR (Option (a) A (b) D heela is a le "book.or cord and a countRec(A turn numbers a Pythor quirement f createFi	te the query dd a new couteger. Display total Python proglat" that has eser defined add to book Author) which per of books a expert, held given about le():	number of grammer. See structure function Candat and article accepts by the girllp her to cove:	Motorbike She has write [BookNo, IncreateFile() nother user the Author wen Author complete the	s sold in Nation a code Book_Nation is created defined for name as followin #sta	March Month. e and created a biname, Author, Price]. I to take input data function parameter and country g code based on the	The for a
OR (Option iii) Write (a) A in (b) D heela is a le "book.of cord and in cor	te the query dd a new couteger. Display total Python proglat" that has er defined add to book Author) which expert, held given about the programment of the programme	number of grammer. See structure function Condat and are ich accepts by the girllp her to cove:	Motorbike She has write [BookNo, I CreateFile() nother user the Author wen Author complete the	s sold in Nation a code Book_Nation is created defined for name as followin #sta	March Month. e and created a bina me, Author, Price]. I to take input data function parameter and coun g code based on the	The for a
OR (Option iii) Write (a) A in (b) D heela is a le "book.of cord and a countRec(A turn numbers a Pythor quirement aport f createFi bj = open(ookNo = i	te the query dd a new couteger. Display total Python proglat" that has eser defined add to book Author) which per of books a expert, held given about le():	number of grammer. See structure function Condat and are ich accepts by the girllp her to cove:	Motorbike She has write [BookNo, I CreateFile() nother user the Author wen Author omplete the	s sold in Nation a code Book_Nation is created defined for name as followin #sta	March Month. e and created a biname, Author, Price]. I to take input data function parameter and country g code based on the	The for a

```
Price = int(input("Price:"))
  rec = [BookNo, Book Name, Author, Price]
  pickle.
                                                #statement3
fobj.close()
def Count_Rec(Author):
fobj = open("book.dat", "rb")
  num = 0
  try:
    while True:
       rec = pickle.____
                                             #statement4
       if Author = rec[2]:
         num=num+1
  except:
fobj.close()
  return num
(i) Which module should be imported in the program? (Statement 1)
(ii) Write the correct statement required to open a file named book.dat.
(Statement 2)
(iii) Which statement should be filled in Statement 3 to write the data into the
binary file, book.dat and in Statement 4 to read the data from the file,
book.dat?
```

12

12esc