

**KENDRIYA VIDYALAYA SANGATHAN**  
**RANCHI RAGION**  
**COMPUTER SCINCE (083)**  
**FIRST PRE-BOARD EXAMINATION**  
**Class-XII**

Max Marks-70

Time: 3 hrs

**General Instructions:**

1. This question paper contains five sections, Section A to E.
2. All questions are compulsory.
3. Section A have 18 questions carrying 01 mark each.
4. Section B has 07 Very Short Answer type questions carrying 02 marks each.
5. Section C has 05 Short Answer type questions carrying 03 marks each.
6. Section D has 03 Long Answer type questions carrying 05 marks each.
7. Section E has 02 questions carrying 04 marks each. One internal choice is given in Q35 against part c only.
8. All programming questions are to be answered using Python Language only.

**SECTION A**

1	Identify the invalid Python statement from the following. (a) <code>_b=1</code> (b) <code>__b1= 1</code> (c) <code>b_=1</code> (d) <code>1 = _b</code>	1
2	Identify the valid arithmetic operator in Python from the following. (a) <code>//</code> (b) <code>&lt;</code> (c) <code>or</code> (d) <code>&lt;&gt;</code>	1
3	If Statement in Python is ____ (a) looping statement      (b) selection statement      (c) iterative      (d) sequential	1
4	Predict the correct output of the following Python statement – <code>print(4 + 3**3/2)</code> (a) 8      (b) 9      (c) 8.0      (d) 17.5	1
5	Choose the most correct statement among the following – (a) a dictionary is a sequential set of elements (b) a dictionary is a set of key-value pairs (c) a dictionary is a sequential collection of elements key-value pairs (d) a dictionary is a non-sequential collection of elements	1
6	Consider the string state = "Jharkhand". Identify the appropriate statement that will display the last five characters of the string state? (a) <code>state [-5:]</code> (b) <code>state [4:]</code> (c) <code>state [:4]</code> (d) <code>state[:-4]</code>	1
7	What will be the output of the following lines of Python code?  if not False: print(10) else: print(20)	1

	(a) 10      (b) 20      (c) True      (d) False	
8	<p>Consider the Python statement: <code>f.seek(10, 1)</code>  Choose the correct statement from the following:</p> <p>(a) file pointer will move 10 byte in forward direction from beginning of the file  (b) file pointer will move 10 byte in forward direction from end of the file  (c) file pointer will move 10 byte in forward direction from current location  (d) file pointer will move 10 byte in backward direction from current location</p>	1
9	<p>Which of the following function returns a list datatype?</p> <p>a) <code>d=f.read()</code>      b) <code>d=f.read(10)</code>      c) <code>d=f.readline()</code>      d) <code>d=f.readlines()</code></p>	1
10	<p>Identify the device on the network which is responsible for forwarding data from one device to another</p> <p>(a) NIC      (b) Router      (c) RJ45      (d) Repeater</p>	1
11	<p>A table has initially 5 columns and 8 rows. Consider the following sequence of operations performed on the table –</p> <ol style="list-style-type: none"> <li>i. 8 rows are added</li> <li>ii. 2 columns are added</li> <li>iii. 3 rows are deleted</li> <li>iv. 1 column is added</li> </ol> <p>What will be the cardinality and degree of the table at the end of above operations?</p> <p>(a) 13,8      (b) 8, 13      (c) 14,5      (d) 5,8</p>	1
12	<p>Which of the following constraint is used to prevent a duplicate value in a record?</p> <p>(a) Empty      (b) check      (c) primary key      (d) unique</p>	1
13	<p>The structure of the table/relation can be displayed using _____ command.</p> <p>(a) view      (b) describe      (c) show      (d) select</p>	1
14	<p>Which of the following clause is used to remove the duplicating rows from a select statement?</p> <p>(a) or      (b) distinct      (c) any      (d)unique</p>	1
15	<p>How do you change the file position to an offset value from the start?</p> <p>(a) <code>fp.seek(offset, 0)</code>      (b) <code>fp.seek(offset, 1)</code>      (c) <code>fp.seek(offset, 2)</code>      (d) None of them</p>	1
16	<p>Which of the following method is used to create a connection between the MySQL database and Python?</p> <p>(a) <code>connector ( )</code>      (b) <code>connect ( )</code>      (c) <code>con ( )</code>      (d) <code>cont ( )</code></p>	1
<p>Q17 and 18 are ASSERTION AND REASONING based questions. Mark the correct choice as</p> <p>(a) Both A and R are true and R is the correct explanation for A  (b) Both A and R are true and R is not the correct explanation for A  (c) A is True but R is False  (d) A is false but R is True</p>		

17	Assertion (A): The function definition calculate(a, b, c=1,d) will give error. Reason (R): All the non-default arguments must precede the default arguments.	1
18	Assertion (A): CSV files are used to store the data generated by various social media platforms. Reason (R): CSV file can be opened with MS Excel.	1
<b>SECTION - B</b>		
19	Find error in the following code(if any) and correct code by rewriting code and underline the correction;-  <pre>x= int("Enter value of x:") for in range [0,10]:     if x=y print( x + y) else:     print( x-y)</pre>	2
20	(a) Find output generated by the following code:  <pre>Str = "Computer" Str = Str[-4:] print(Str*2)</pre> <p style="text-align: center;">OR</p> <p>Consider the following lines of codes in Python and write the appropriate output:</p> <pre>student = {'rollno':1001, 'name':'Akshay', 'age':17} student['name']="Abhay" print(student)</pre>	2
21	What do you mean by Foreign key? How it is related with Referential Integrity?	2
22	Find output generated by the following code: <pre>string="aabbcc" count=3 while True:     if string[0]=='a':         string=string[2:]     elif string[-1]=='b':         string=string[:2]     else:         count+=1         break print(string) print(count)</pre>	2
23	Expand the following terms: <ul style="list-style-type: none"> <li>i. NIC</li> <li>ii. TCP/IP</li> <li>iii. POP</li> <li>iv. SMTP</li> </ul>	2

24	Write one advantage and one disadvantage of each – STAR Topology and Tree Topology  OR  What do you mean by Guided Media? Name any three guided media?	2
25	Differentiate between DDL and DML?  OR  Write the main difference between INSERT and UPDATE Commands in SQL	2

**SECTION - C**

26	Write definition of a method/function AddOdd(VALUEs) to display sum of odd values from the list of VALUEs	3
27	Define a function SHOWWORD () in python to read lines from a text file STORY.TXT, and display those words, whose length is less than 5.  OR  Write a user defined function in python that displays the number of lines starting with 'H' in the file para.txt	3

28	Write the outputs of the SQL queries (a) to (c) based on the relation <b>Furniture</b>	3
----	--	---

No	Itemname	Type	Dateofstock	Price	Discount
1	White lotus	Double Bed	23/02/2002	30000	25
2	Pink feather	Baby Cot	20/01/2002	7000	20
3	Dolphin	Baby Cot	19/02/2002	9500	20
4	Decent	Office Table	01/01/2002	25000	30
5	Comfort Zone	Double Bed	12/01/2002	25000	25
6	Donald	Baby Cot	24/02/2002	6500	15
7	Royal finish	Office Table	20/02/2002	18000	30
8	Royal tiger	Sofa	22/02/2002	31000	30
9	Econo sitting	Sofa	13/12/2001	9500	25
10	paradise	Dining Table	19/02/2002	11500	25
11	Wood Comfort	Double Bed	23/03/2003	25000	25
12	Old Fox	Sofa	20/02/2003	17000	20
13	Micky	Baby Cot	21/02/2003	7500	15

(a) SELECT Itemname FROM Furniture WHERE Type="Double Bed";  
(b) SELECT MONTHNAME(Dateofstock) FROM Furniture WHERE Type="Sofa";  
(c) SELECT Price\*Discount FROM Furniture WHERE Dateofstock>31/12/02;

29	Consider the following table GAMES	3
----	------------------------------------	---

GCode	GameName	Number	PrizeMoney	ScheduleDate
101	Carom Board	2	5000	23-Jan-2004
102	Badminton	2	12000	12-Dec-2003
103	Table Tennis	4	8000	14-Feb-2004
105	Chess	2	9000	01-Jan-2004
108	Lawn Tennis	4	25000	19-Mar-2004

Write the output for the following queries :

	(i) SELECT COUNT(DISTINCT Number) FROM GAMES; (ii) SELECT MAX(ScheduleDate),MIN(ScheduleDate) FROM GAMES; (iii) SELECT SUM(PrizeMoney) FROM GAMES;	
30	Write PushOn(Book) and Pop(Book) methods/functions in Python to add a new Book and delete a Book from a list of Book titles, considering them to act as push and pop operations of the Stack data structure.  OR  Mr.Ajay has created a list of elements. Help him to write a program in python with functions, PushEl(element) and PopEl(element) to add a new element and delete an element from a List of element Description, considering them to act as push and pop operations of the Stack data structure . Push the element into the stack only when the element is divisible by 4.  For eg:if L=[2,5,6,8,24,32] then stack content will be 32 24 8	3

**SECTION - D**

31	<p>India Tech Solutions (ITS) is a professional consultancy company. The company is planning to set up their new offices in India with its hub at Hyderabad. As a network adviser, you have to understand their requirement and suggest them the best available solutions. Their queries are mentioned as (i) to (v) below.</p> <p><b>Physical locations of the blocks of TTC</b></p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 10px; width: 200px; height: 50px; text-align: center;">HR BLOCK</div> <div style="border: 1px solid black; padding: 10px; width: 200px; height: 50px; text-align: center;">MEETING BLOCK</div> </div> <div style="display: flex; justify-content: center; align-items: center; margin-top: 20px;"> <div style="border: 1px solid black; padding: 10px; width: 200px; height: 50px; text-align: center;">FINANCE BLOCK</div> </div> <p><b>Block to block distance (in m)</b></p> <table border="1"> <thead> <tr> <th>Block (From)</th> <th>Block (To)</th> <th>Distance</th> </tr> </thead> <tbody> <tr> <td>HR Block</td> <td>MEETING</td> <td>110</td> </tr> <tr> <td>HR Block</td> <td>Finance</td> <td>40</td> </tr> <tr> <td>MEETING</td> <td>Finance</td> <td>80</td> </tr> </tbody> </table> <p><b>Expected number of computers</b></p> <table border="1"> <thead> <tr> <th>Block</th> <th>Computers</th> </tr> </thead> <tbody> <tr> <td>HR</td> <td>25</td> </tr> <tr> <td>Finance</td> <td>120</td> </tr> <tr> <td>MEETING</td> <td>90</td> </tr> </tbody> </table> <p>(i) Which will be the most appropriate block, where TTC should plan to install their server? (ii) Draw a block to block cable layout to connect all the buildings in the most appropriate manner for efficient communication. (iii) What will be the best possible connectivity out of the following, you will suggest to connect the new set up of offices in Bengaluru with its London based office.</p> <ul style="list-style-type: none"> <li>• Satellite Link</li> <li>• Infrared</li> </ul>	Block (From)	Block (To)	Distance	HR Block	MEETING	110	HR Block	Finance	40	MEETING	Finance	80	Block	Computers	HR	25	Finance	120	MEETING	90	5
Block (From)	Block (To)	Distance																				
HR Block	MEETING	110																				
HR Block	Finance	40																				
MEETING	Finance	80																				
Block	Computers																					
HR	25																					
Finance	120																					
MEETING	90																					

	<ul style="list-style-type: none"> <li>• Ethernet</li> </ul> <p>(iv) Which of the following device will be suggested by you to connect each computer in each of the buildings?</p> <ul style="list-style-type: none"> <li>• 1 Switch</li> <li>• 1 Modem</li> <li>• 1 Gateway</li> </ul> <p>(v) Company is planning to connect its offices in Hyderabad which is less than 1 km. Which type of network will be formed?</p>																																				
32 (a)	<p>Find the output of the following:</p> <pre>fruit_list1 = ['Apple', 'Berry', 'Cherry', 'Papaya'] fruit_list2 = fruit_list1 fruit_list3 = fruit_list1[:] fruit_list2[0] = 'Guava' fruit_list3[1] = 'Kiwi' sum = 0 for ls in (fruit_list1, fruit_list2, fruit_list3):     if ls[0] == 'Guava':         sum += 1     if ls[1] == 'Kiwi':         sum += 20 print (sum)</pre>	2																																			
(b)	<p>Consider the table</p> <p><b>TRAINER</b></p> <table border="1" data-bbox="167 1059 1007 1440"> <thead> <tr> <th>TI D</th> <th>TNAME</th> <th>CITY</th> <th>HIREDAT E</th> <th>SALAR Y</th> </tr> </thead> <tbody> <tr> <td>101</td> <td>SUNAINA</td> <td>MUMBAI</td> <td>1998-10-15</td> <td>90000</td> </tr> <tr> <td>102</td> <td>ANAMIKA</td> <td>DELHI</td> <td>1994-12-24</td> <td>80000</td> </tr> <tr> <td>103</td> <td>DEEPTI</td> <td>CHANDIGA RG</td> <td>2001-12-21</td> <td>82000</td> </tr> <tr> <td>104</td> <td>MEENAKSHI</td> <td>DELHI</td> <td>2002-12-25</td> <td>78000</td> </tr> <tr> <td>105</td> <td>RICHA</td> <td>MUMBAI</td> <td>1996-01-12</td> <td>95000</td> </tr> <tr> <td>106</td> <td>MANIPRAB HA</td> <td>CHENNAI</td> <td>2001-12-12</td> <td>69000</td> </tr> </tbody> </table> <p>The Following program code is used to increase the salary of Trainer SUNAINA by 2000.</p> <p>Note the following to establish connectivity between Python and MYSQL:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Username is root</li> <li><input type="checkbox"/> Password is system</li> <li><input type="checkbox"/> The table exists in a MYSQL database named Admin.</li> </ul> <p>Write the following missing statements to complete the code:</p> <p>Statement 1 – to form the cursor object</p> <p>Statement 2 – to execute the command that inserts the record in the table Student.</p> <p>Statement 3- to add the record permanently in the database</p> <pre>import mysql.connector as mydb mycon = mydb.connect     (host = "localhost",     user = "root",</pre>	TI D	TNAME	CITY	HIREDAT E	SALAR Y	101	SUNAINA	MUMBAI	1998-10-15	90000	102	ANAMIKA	DELHI	1994-12-24	80000	103	DEEPTI	CHANDIGA RG	2001-12-21	82000	104	MEENAKSHI	DELHI	2002-12-25	78000	105	RICHA	MUMBAI	1996-01-12	95000	106	MANIPRAB HA	CHENNAI	2001-12-12	69000	3
TI D	TNAME	CITY	HIREDAT E	SALAR Y																																	
101	SUNAINA	MUMBAI	1998-10-15	90000																																	
102	ANAMIKA	DELHI	1994-12-24	80000																																	
103	DEEPTI	CHANDIGA RG	2001-12-21	82000																																	
104	MEENAKSHI	DELHI	2002-12-25	78000																																	
105	RICHA	MUMBAI	1996-01-12	95000																																	
106	MANIPRAB HA	CHENNAI	2001-12-12	69000																																	

```

passwd = "system",
database = "Admin")
cursor = _____ #Statement 1
sql = "UPDATE TRAINER SET SALARY = SALARY + 2000
      WHERE TNAME = 'SUNAINA'"
cursor. _____ #Statement 2
_____ #Statement 3
mycon.close( )

```

OR

(a) Write the output of the following Python program code:

```

my_dict = {}
my_dict[(1,2,4)] = 8
my_dict[(4,2,1)] = 10
my_dict[(1,2)] = 12
sum = 0
for k in my_dict:
    sum += my_dict[k]
print (sum)
print(my_dict)

```

2

(b) Consider the table

**TABLE : GRADUATE**

S.N O	NAME	STIPEN D	SUBJECT	AVERAG E	DI V
1	KARAN	400	PHYSICS	68	I
2	DIWAKA R	450	COMP Sc	68	I
3	DIVYA	300	CHEMISTR Y	62	I
4	REKHA	350	PHYSICS	63	I
5	ARJUN	500	MATHS	70	I
6	SABINA	400	CHEMISTR Y	55	II
7	JOHN	250	PHYSICS	64	I
8	ROBERT	450	MATHS	68	I
9	RUBINA	500	COMP Sc	62	I
10	VIKAS	400	MATHS	57	II

3

The Following program code is used to view the details of the graduate whose subject is PHYSICS.

Note the following to establish connectivity between Python and MYSQL:

- Username is root
- Password is system
- The table exists in a MYSQL database named Admin.

Write the following missing statements to complete the code:

Statement 1 – to import the proper module

Statement 2 – to create the cursor object.

Statement 3- to Close the connection

```

import _____ as mydb #Statement 1
mycon = mydb.connect
    (host = "localhost",
    user = "root",
    passwd = "system",
    database = "Admin")
cursor = _____ #Statement 2
sql = "SELECT * FROM GRADUATE WHERE SUBJECT = 'PHYSICS'"
cursor.execute(sql)
mycon.commit ( )
_____ #Statement 3

```

33 Sumit is a programmer who is working on a project that requires student data of a school to be stored in a CSV file. Student data consists of roll no, name, class and section. He has written a program to obtain the student data from user and write it to a CSV file. After getting errors in the program he left five statements blank in the program as shown below. Help him to find the answer of the following questions to find the correct code for missing statements.

#Incomplete Code

```

import _____ #Statement 1
fh = open(_____, _____, newline=' ') #Statement 2
stuwriter = csv._____ #Statement 3
data = []
header = ['ROLL_NO', 'NAME', 'CLASS', 'SECTION']
data.append(header)

for i in range(5):
    roll_no = int(input("Enter Roll Number : "))
    name = input("Enter Name : ")
    Class = input("Class : ")
    section = input("Enter Section : ")
    rec = [_____] #Statement 4
    data.append(rec)
stuwriter. _____ (data) #Statement 5
fh.close()

```

(i) Identify the suitable code for blank space in line marked as Statement 1.  
(ii) Identify the missing code for blank space in line marked as Statement 2.  
(iii) Choose the function name (with argument) that should be used in the blank space of line marked as Statement 3.  
(iv) Identify the suitable code for blank space in line marked as Statement 4.  
(v) Choose the function name that should be used in the blank space of line marked as Statement 5 to create the desired CSV file?

OR

What are the advantages of binary file over text file? Write a Python program in Python to search the details of the employees (name, designation and salary) whose salary is greater than 5000. The records are stored in the file emp.dat. consider each record in the file emp.dat as a list containing name, designation and salary.

**SECTION - E**

34	Based on given table "DITERGENTS" answer following questions.			
	<b>PID</b>	<b>PName</b>	<b>Price</b>	<b>Category</b>

<b>Manufacturer</b>
---------------------



1	Nirma	40	Detergent Powder	Nirma Group
2	Surf	80	Detergent Powder	HL
3	Vim Bar	20	Disc washing Bar	HL
4	Neem Face Wash	50	Face Wash	Himalaya

- a) Write SQL statement to display details of all the products not manufactured by HL.  
b) Write SQL statement to display name of the detergent powder manufactured by HL.  
c) Write SQL statement to display the name of the Product whose price is more than 0.5 hundred.

**OR**

- c) Write SQL statement to display name of all such Product which start with letter 'N'

1  
1  
2

35 Arun is a class XII student of computer science. The CCA in-charge of his school wants to display the words form a text files which are less than 4 characters. With the help of his computer teacher Arun has developed a method/function FindWords() for him in python which read lines from a text file Thoughts. TXT, and display those words, which are lesser than 4 characters. His teachers kept few blanks in between the code and asked him to fill the blanks so that the code will run to find desired result. Do the needful with the following python code.

```
def FindWords():
    c=0
    file=open('NewsLetter.TXT', '____') #Statement-1
    line = file.____ #Statement-2
    word = ____ #Statement-3
    for c in word:
        if ____: #Statement-4
            print(c)
            ____ #Statement-5
FindWords()
```

- (i) Write mode of opening the file in statement-1?  
(ii) Fill in the blank in statement-2 to read the data from the file.  
(iii) Fill in the blank in statement-3 to read data word by word  
(iv) Fill in the blank in statement-4, which display the word having lesser than 4 characters

**OR (Only for iii and iv above)**

- (v) Fill in the blank in Statement-5 to close the file.  
(vi) Which method of text file will read only one line of the file?

1+1+2